


Amendments to the Drawings:

The attached sheets of drawings include changes to Figs. 1 – 6. These sheets, which include Figs. 1 – 6, replace the original sheets including Figs. 1 – 6. In Figs. 1 – 6, various clerical errors have been corrected. More specifically, in Fig. 1, the lead lines for numeral 18 have been provided. In Figs. 1 – 5, the symbols for Array LEDs and Path Breaking Diodes are clearly distinguished. In Fig. 2, the caption has been corrected to indicate the proper range is “6.0V – 10.1V.” In Fig. 3, the missing reference numeral 11 has been added. In Fig. 4, the missing reference numerals 8 and 19 have been added. In Fig. 5, the missing reference numeral 19 has been added. In addition, in Figs. 1 – 6, a connection line has been added between the PMOFET of path 10 and the nearby line between LED Array 18 and Path Breaking Diode 2 to complete a circuit with the constant current device 4 (See page 9, line 13). No new matter has been added by the above amendments.

Attachment: Replacement Sheet

Annotated Sheet Showing Changes



Appl. No. 10/085,129
Amdt. Dated June 15, 2004
Reply to Office Action of Jan. 15, 2004
Replacement Sheet




Fig.1



Appl. No. 10/085,129
Amdt. Dated June 15, 2004
Reply to Office Action of Jan. 15, 2004
Replacement Sheet




Fig. 2



Appl. No. 10/085,129
Amdt. Dated June 15, 2004
Reply to Office Action of Jan. 15, 2004
Replacement Sheet




Fig. 3



Appl. No. 10/085,129
Amdt. Dated June 15, 2004
Reply to Office Action of Jan. 15, 2004
Replacement Sheet




Fig.4



Appl. No. 10/085,129
Amdt. Dated June 15, 2004
Reply to Office Action of Jan. 15, 2004
Replacement Sheet





Fig. 5



Appl. No. 10/085,129
Amdt. Dated June 15, 2004
Reply to Office Action of Jan. 15, 2004
Replacement Sheet




Fig.6